MANUFACTURING INTELLIGENT COMPRESSED AIR* PRODUCTS SINCE 1983





COOL



CLEAN



CONVEY

SS CATALOG

Hot Tap Digital Flowmeter...... pg. 11

Pressure Sensing
Digital Flowmeter.....pg. 11

FullStream Liquid Atomizing Nozzle.....pg. 98

Safety Air Gun......pg. 105 Intellistat[®] Ion Air Gun.....pg. 138

EasySwitch® Wet-Dry Vac.....pg. 167



YOU REQUESTED THIS CATALOG AND PRICE LIST.
PLEASE SEE MAILING LABEL ON BACK COVER.

Stay up to date by visiting our website and take advantage of the information and services we didn't have room to display in this catalog.





Where you can

- Chat live with our problem solving, technical expert Application Engineers
- Watch product videos to learn more about the features and benefits of our engineered products
- Quickly order online with a purchase order or credit card (US & Canada)
- Access product presentation slides you can use to educate others
- Find International Distributors all across the world



Access our Knowledge Base to

- Download 3D models and CAD drawings in multiple formats to place into your drawings
- Calculate air savings and ROI to see how quickly EXAIR products will pay off
- Search our Case Study Library & Applications database and become familiar with how our products solve problems
- Use our product FAQ's for quick access to our most common questions
- Learn about our free Efficiency Lab service and use it to determine air and money savings you can achieve when installing EXAIR engineered solutions
- Collect compressed air data and pipe sizing recommendations
- Find Flow. Force and Heat conversions.



Visit our PDF library and download

- · Electronic files of the entire catalog or individual sections
- Installation and Maintenance Guides on every EXAIR product
- Our current price list to have all product prices in one convenient location
- EXAIR's Air Nozzle Blowoff Guide to see the details on our enormous selection of sizes, materials and performance options



Follow our blog for 5 new entries a week and learn

- Details and installations of widely varied applications
- · The methodology and results of critical mathematical formulas which help determine money savings, air savings, performance benefits and more
- New product releases before they reach our catalog or website
- More about EXAIR, our team and community involvement
- Go to blog.exair.com









Make social connections

- Watch over 90 videos on EXAIR's YouTube Channel and see product features and benefits, applications, Tips & Tricks, How-to, our team members, or be entertained by Professor Penurious!
- Follow our Company on Twitter @EXAIR or our Application Engineers and learn more about promotions, updates on manufacturing, engineering and international industry perspective.

















Connect with us on Facebook at facebook.com/exair or follow us on Instagram.

Terms	and	Cor	nd	iti	0	ns	5 .		۰			۰			4
Efficier	ıcy l	Lab							۰			۰			E.
Standa	rds	Cor	np	ilo	aı	nc	e.		٠	٠	٠	٠	2	2	2



EVAID	Optimization	
EARIR	Optimization	ш

Minimize compressed air use and detect wasteful leaks

6 Steps to Optimization6
Electronic Flow Control
Digital Flowmeter10
$Digital\ Flowmeter\ with\ wireless\ capability11$
Digital Sound Level Meter17
Ultrasonic Leak Detector



Air Knives

Blowoff, clean, dry and cool with less noise and air consumption

Super Air Knife	.20
Compare Blowoffs	.23
Explanation of Materials	.26
Universal Air Knife Mounting System	.29
Plumbing Kits	.29
Standard Air Knife	.33
Full-Flow Air Knife	.36



Air Wipes
Blowoff, dry, clean and cool pipe, cable,
extruded shapes and hose

Super Air Wipes	 		 								.3
Standard Air Wines	 		 								.4

Air Amplifiers

Vent, exhaust, cool, dry and clean with no moving parts

Super Air Amplifiers46	6
Adjustable Air Amplifiers	D

Air Nozzles and Jets

Reduce noise levels and air costs on blowoff operations

Air Nozzles
Air Nozzle Comparison Chart54
Super Air Nozzles
Flat Super Air Nozzles57
Super Air Scraper57
Back Blow Air Nozzles
Safety Air Nozzles60
Air Jets
High Force Air Nozzles
High Force Air Nozzle Comparison Chart63
High Force Flat Super Air Nozzles63
High Force Super Air Nozzles
Super Air Nozzle Clusters
Stay Set Hoses
Swivel Fittings
Blowoff Systems

Air Atomizing Nozzles

I stainless steel construction for durability
d corrosion resistance
1/8 NPT Atomizing Nozzles
Internal Mix Narrow Angle Round71
Internal Mix Wide Angle Round72
Internal Mix Flat Fan73
External Mix Narrow Angle Flat Fan 74
Siphon Fed Round75
Siphon Fed Flat Fan76
1/4 NPT Atomizing Nozzles
Internal Mix Narrow Angle Round77
Internal Mix Wide Angle Round78
Internal Mix Flat Fan79
Internal Mix Deflected Flat Fan 80
Internal Mix 360° Hollow Circular 80
External Mix Round81
External Mix Narrow Angle Flat Fan 82
External Mix Wide Angle Flat Fan 83
Siphon Fed Round84
Siphon Fed Flat Fan85
1/2 NPT Atomizing Nozzles86
Internal Mix Narrow Angle Round86
Internal Mix Wide Angle Round87
Internal Mix Flat Fan88
Internal Mix 360° Hollow Circular 89
External Mix Narrow Angle Flat Fan 90

No Drip Air Atomizing Nozzles

Eliminate drips to conserve valuable liquids

nd improve product finishes.	
1/8 NPT No Drip Atomizing Nozzles	93
No Drip Internal Mix Narrow Angle Round.	93
No Drip Internal Mix Wide Angle Round	93
No Drip Internal Mix Flat Fan	94
No Drip External Mix Narrow Angle Flat Fa	n 95
No Drip Siphon Fed Round	96
No Drip Siphon Fed Flat Fan	96
1/4 NPT No Drip Atomizing Nozzles	93
No Drip Internal Mix Narrow Angle Round.	93
No Drip Internal Mix Wide Angle Round	93
No Drip Internal Mix Flat Fan	94
No Drip Internal Mix Deflected Flat Fan	94
No Drip Internal Mix 360° Hollow Circular .	94
No Drip External Mix Round	95
No Drip External Mix Narrow Angle Flat Fan	95
No Drip External Mix Wide Angle Flat Fan	
No Drip Siphon Fed Round	96
No Drip Siphon Fed Flat Fan	96
1/2 NPT No Drip Atomizing Nozzles	
No Drip Internal Mix Narrow Angle Round.	
No Drip Internal Mix Wide Angle Round	
No Drip Internal Mix Flat Fan	
No Drip Internal Mix 360° Hollow Circular.	
No Drip External Mix Narrow Angle Flat Fan	
No Drip Siphon Fed Round	96
Droplet Size/Spray Angle Information	97



Liquid Atomizing Spray Nozzles

Stainless-steel nozzles to atomize pressured liquids. No air required

	FullStream Cone Nozzles	.99
W	HollowStream Cone Nozzles	102





Safety Air Guns

Safety air guns use engineered air nozzles for high performance

	Chip Shields)4
1107	VariBlast® Precision Safety Air Guns	05
	VariBlast® Compact Safety Air Guns 10)6
	Soft Grip Safety Air Guns10)8
	Soft Grip Super Air Scraper	11
	Heavy Duty Safety Air Guns1	12
	Back Blow Safety Air Guns1	13
	Super Blast Safety Air Guns1	14



Gen4® Static Eliminators

Eliminate static electricity, dust and

sh	ock hazard
	Gen4® Super Ion Air Knife118
	Static Meter120
	Gen4® Standard Ion Air Knife
	Gen4® Ionizing Bars126
	Gen4® Super Ion Air Wipes
	Gen4® Ion Air Cannon130
	Gen4® Ion Air Gun
	Gen4® Ion Air Jet/Gen4 Stay Set Ion Air Jet 134
	Gen4® Ionizing Point
	Gen4® Power Supplies133
	Intellistat® Ion Air Gun138
	Static Fliminator White Paner 140



E-Vac® Vacuum Generators

Vacuums for lifting, clamping, mounting and placement

How to E	uild an	E-V	ac!	Syst	em	 	 	 .142
In-Line.						 	 	 .143
Adjustab	le					 	 	 146
Vacuum	Cups					 	 	 148

1	5	Line Vac	
			FINE C

Air Operated Conveyors

Convey parts, materials and waste-with no moving parts

Line Vac	152
Threaded Line Vac	158
Heavy Duty Line Vac	161
Sanitary Flange Line Vac	163
Light Duty Line Vac	165



Industrial Housekeeping Reliable vacuums for chip removal, liquid

transfer and cleaning	
👺 EasySwitch® Wet-Dry Vac	167
Reversible Drum Vac	169
High Lift Reversible Drum	Vac
Chip Trapper	173
High Lift Chip Trapper	175
Chip Vac	177
Heavy Duty Dry Vac	179
Heavy Duty HEPA Vac	181
Vac-u-Gun	183



Vortex Tubes & Spot Cooling Cold air for industrial spot cooling problems

Vortex Tubes	5
Adjustable Spot Cooler	3
Mini Cooler	6



Cold Gun Aircoolant Systems

Cool machining operations with clean, cold air



Cabinet Cooler® Systems

Cool and purge NEMA 12, 4 and 4X electrical

tioi paricis
low it Works
electing the Right Model
pecial Cabinet Coolers
alculating Heat Load
abinet Cooler Sizing Guide 20
IEMA 12 Models
IEMA 4 Models
IEMA 4X Models21
Tabinet Cooler System Accessories
lazardous Location Cabinet Coolers
abinet Cooler White Paper

Accessories

Mufflers, filters, regulators, valves, swivel fittings and more

Filters	5
Regulators21	6
Silencing Mufflers21	7
Valves, Swivels, Thermostats21	9
Magnetic Bases, Stay Sets, Hoses	0
Air Hoses	0
Fittings22	1
Receiver Tank	1
Standards Compliance	2
Best Practices	3



Catalog item orders received before 2 pm EDT/EST are generally shipped from Cincinnati, Ohio on the same day. You can expect delivery within 1-4 days depending on your location.

Terms and Conditions (U.S. and Canada Only)

Terms: Net 30 days upon credit approval, Visa, MasterCard, Discover and American Express.







ICC (International Chamber of Commerce) INCOTERM 2010: EX WORKS (EXAIR Corporation, 11510 Goldcoast Dr., Cincinnati, Ohio 45249, USA.)

Delivery All cataloged products are shipped from stock, via U.P.S. within 24 hours after receipt of order. Priority shipment is available upon request.

Ordering: Call 1-800-903-9247 or +1-513-671-3322 Fax toll free 1-866-329-3924 or

2 Worldwide 7:00 a.m. to 4:00 p.m. ET (Mon. - Fri.)

Fax toll free 1-866-329-3924 or Worldwide +1-513-671-336 E-mail: orders@exair.com Secure website: www.exair.com

Remit to address (payments only): EXAIR Corporation Location 00766, Cincinnati, Ohio 45264-0766

Tax: Sales and use tax, where applicable, are not included.

Technical Assistance: Please call our Application Engineering Department,

1-800-90-EXAIR (1-800-903-9247) e-mail at techelp@exair.com.

Built to Last Syr. WARRANTY Warranty:

*5 Year Warranty applies to compressed air products only. A 1 Year Warranty applies to all accessories and electrically powered products. 5 Year "Built To Last" Warranty against defects in workmanship and materials on all compressed air products". Defective products must be returned freight prepaid for repair or replacement at our option. This warranty applies under conditions of normal use, but does not apply to defects that result from intentional damage, negligence, unreasonable use, wear or exposure.

EXAIR's Unconditional Guarantee:

Extends to all U.S. and Canadian customers and includes invoiced U.P.S. Ground Service shipping charges. Products returned after the 30 day guarantee period are subject to a 15% restocking charge. Products must be returned freight prepaid.



EXAIR unconditionally guarantees its cataloged products for 30 days.

If you are not satisfied for any reason within that time, you may return the product for full credit with no restocking charge.

Copyright Restrictions:

The content of the EXAIR Catalog, including all

photos, graphics, drawings and arrangements are proprietary to EXAIR Corporation and are protected by the United States and international copyright and trademark laws. You are authorized to use the contents of the EXAIR Catalog for personal use or as it relates to your role as a current or prospective customer of EXAIR. The contents of this catalog may not be copied or modified for any type of publication or distribution without the prior written consent of EXAIR Corporation. The content of the EXAIR Catalog is the intellectual property solely of the EXAIR Corporation with no rights transferred to other parties. No part of this catalog may be reproduced for any commercial purposes without the express authorization in writing by the EXAIR Corporation.

Trademarks:

"EXAIR.com", "EXAIR", "Cabinet Cooler", "E-Vac", "Intelligent Compressed Air", "VariBlast", "Gen4", "Intellistar", "EasySwitch", "TurboBlast" and "Compressed Air Intelligence" are registered trademarks of the EXAIR Corporation. The EXAIR logo, product names, designs and descriptive phrases are trademarked by EXAIR Corporation. These trademarks may not be used without prior written permission of the EXAIR Corporation.

EXAIRLOgger, EFC, Digital Flowmeter, Digital Sound Level Meter, High Power Cold Gun, Super Air Knife, Standard Air Knife, Full-Flow Air Knife, Air Cannon, Super Air Amplifer, Adjustable Air Amplifier, Super Air Nozzle, Micro Air Nozzle, High Power Safety Air Nozzle, Stay Set Hose, Soft Grip Super Air Scraper, Super Air Scraper, Super Blast Safety Air Gun, Super Air Wipe, Heavy Duty Line Vac, Light Duty Line Vac, Sanitary Flange Line Vac, Threaded Line Vac, FullStream, FloodStream, HollowStream, Standard Air Wipe, Super Ion Air Vipe, Super Ion Air Myre, Lonari Cannon, Ion Air Gun Air Jet, Ionizing Point, Stay Set Ion Air Jet, Line Vac, Chip Vac, Heavy Duty Dry Vac, Heavy Duty HEPA Vac, Reversible Drum Vac, High Lift Reversible Drum Vac, Chip Trapper, High Lift Chip Trapper, Vac-u-Gun, Deep Hole Vac-u-Gun, Air Disk, Air Stik, Mini Cooler, Cold Gun Aircoolant System, and ETC aer trademarks of EXAIR Corporation.



Cincinnati, Ohio 45249-1621
Phone Number: (513) 671-3322
Fax Number: (513) 671-3363
E-mail: techelp@exair.com
Web Site: www.exair.com



Intelligent Compressed Air* products are identified throughout this catalog that can help your plant save tens of thousands of dollars over the course of a single year. *The Best Practice for Compressed Air Systems* manual published by the Compressed

Air Challenge' recommends products like the Super Air Knife", Super Air Amplifier", and the family of Super Air Nozzles" for energy conservation. Many of the products shown offer unique ways to solve common industrial problems using compressed air. Challenge, in a registered trademark of Compressed Air Challenge, Inc.




EXAIR has partnered with Energy Star, a voluntary program of the U.S. Department of Energy and the Environmental Protection Agency. Energy Star offers energy efficient solutions to help save money while protecting the environment for future generations. EXAIR has implemented improved energy management practices and technologies throughout our facility, including energy efficient lighting, HVAC systems, and electronic thermostars. EXAIR's participation in this program undersores our commitment to conserving energy.

EXAIR products are subject to ongoing development. Specifications are subject to change without notice.

Some products in this catalog are covered by U.S. Parent #5402938, #8153001, #8268179, #D903,817 and #9156045, and others may be U.S. Patent Pending.

Copyright ©2021 EXAIR Corporation. All Rights Reserved.









CE





Cold Gun Aircoolant System COMPRESSED AIR

Cold Gun Aircoolant System™



Replace messy mist systems - improve dry machining with clean, cold air!

What Is The Cold Gun Aircoolant System?



A new solution to an old problem. Heat build up on dry machining operations reduces tool life and machining rates. The Cold Gun Aircoolant System produces a stream of clean, cold air at 50°F (28°C) below supply air temperature. Operation is quiet and there are no moving parts to wear out. It will remove heat to prolong tool life and increase productivity on machining operations when liquid coolants cannot be used.

The Cold Gun is also an alternative to expensive mist systems. It eliminates the costs associated with the purchase and disposal of cutting fluids and worker related health problems from breathing airborne coolants or slipping on wet floors.

EXAIR's Cold Gun is non-adjustable to prevent freeze-up during use. Cold airflow and temperature drop are factory set to optimize the gun's cooling capability.

Applications

- Tool sharpening
- · Drill and cutter grinding
- Routing
- · Plunge and form grinding
- Milling
- Surface grinding
- Drilling
- Tire grinding
- Band sawing
- Plastic machining
- Laser cutting
- Chill val
- · Setting hot melt adhesives

Advantages

- Improves production rates
- · Prevents burning
- · Extends tool life reduces breakage
- · Improves tolerance control
- · Prevents smearing of metal or plastics
- Finished part is dry
- · Eliminates wheel loading
- 1 ----
- · Compact, lightweight, portable
- · No moving parts maintenance free
- Ouiet
- No coolant cost
- · No electricity



Product

The Model 5215 Cold Gun keeps the part cool to the touch and prevents discoloration.



Cold air eliminates heat cracking of the carbide tool during sharpening.



The Model 5315 Cold Gun cools a two flute 3/8" carbide cutter on a CNC, increasing tool life by 50%.





Applications



Model 5215 Cold Gun System

Tool Grinding

Cold air eliminates heat cracking of carbide and tool edge burning during grinding and sharpening operations. Increased tool life between regrinds is the result.



Model 5215 Cold Gun System

Milling & Drilling

Fly cutters up to 460mm in diameter have been cooled with the Cold Gun. Dissipating heat with cold air extends tool life, increases speeds and feeds, and improves finishes.



Model 5315 Cold Gun System

Chill Roll

Cooling a roll with 20°F (-7°C) air keeps the material on the surface from bunching up, jamming or tearing. The metal surface transfers the cold temperature to the product.



Model 5230 High Power Cold Gun System

Laser Cutting


Cold air cools a laser cut part so it can be handled seconds later. The High Power Cold Gun has twice the cooling capacity of the standard Cold Gun, cooling the part in less time.







How The Cold Gun Works




The standard Cold Gun and High Power Cold Gun incorporate a vortex tube to convert an ordinary supply of **compressed air** (1) into two low pressure streams, one hot and one cold. (For complete information on vortex tube operation, see page 188 of this catalog.) Secondary air is drawn in (2). The Cold Gun's hot airstream is muffled and discharged through the **hot air exhaust** (3). The **cold air** (4) is muffled and discharged through the **flexible hose** (5), which directs it to the point of use. Easy mounting and portability are provided through the use of an attached **magnetic base** (6).

Specifications

	Pressure Supply		<i>E</i> Consu	Sound Level	
Model #	PSIG	BAR	SCFM	SLPM	dBA
Cold Gun 5215, 5315	100	6.9	15	425	70
High Power Cold Gun 5230, 5330	100	6.9	30	850	82

Cold Gun Dimensions



Controlling the Cold Air

The EXAIR Cold Gun gives **instant cold air** when filtered compressed air is supplied to it. Cycling on and off is a good way to save air. **For on and off control**, use a Model 9012 Manual Shutoff Valve. To turn the Cold Gun on with the machine, the Model 9020 Solenoid Valve may be used and wired through the machine control switch. This method is ideal for hand grinders and drill sharpeners.

The Compressed Air Supply

The Cold Gun is designed to use full line pressure of 80-100 PSIG (5.5-6.9 BAR). Temperature drop and flow are reduced when lower input pressures are applied. The use of clean, filtered air is essential to the operation of the Cold Gun. A filter separator that removes moisture, dirt and other particulates from the compressed air is included with each Cold Gun System. An optional Oil Removal Filter is also available. (See page 215 for details.)

Selecting The Right Model

Cold Gun Aircoolant Systems are available with either a Single Point or Dual Point Hose Kit.



The Single Point Hose Kit (included with the Model 5215 Cold Gun and Model 5230 High Power Cold Gun) is recommended for applications where a concentrated airflow is needed such as drilling and grinding operations.



The Dual Point Hose Kit (included with the Model 5315 Cold Gun and Model 5330 High Power Cold Gun) is recommended for applications where the heat is generated over a larger surface area such as band sawing, milling, chill rolls and hot melt adhesives.

A Cold Gun System with the Model 5901 Single Point Hose Kit can be easily converted to a "dual point" system with the purchase of the Model 5902 Dual Point Hose Kit.

Need More Cooling?

EXAIR's High Power Cold Gun Aircoolant System™ produces twice the airflow of the standard Cold Gun, doubling the cooling capability. It produces cold air at 50°F (28°C) below the supply air temperature so the air is as cold as possible without freezing up. Two systems are available: the Model 5230 High Power Cold Gun with Single Point Hose Kit and Model 5330 High Power Cold Gun with Dual Point Hose Kit.





Purdue University Study Confirms Benefits Of The EXAIR Cold Gun

Tooling costs a lot of money to replace. That's only part of the problem. As the tools wear out, you can expect:

- Slowed production and downtime to change out the tooling
- · Poor tolerances and decreased dimensional accuracy due to increased temperature
- · Increased cutting force is required (generates more heat and uses more electricity)

If you could just make the tooling last longer, you'd not only cut the tool cost but could increase profits by reducing scrapped parts and downtime.

A long term study on the effect of refrigerated air on tool wear in wood machining was conducted at the Forestry Products Department of Purdue University by Ms. Judith Gisip. The project was under the direction of Dr. Rado Gazo (department professor) and Harold Stewart



Purdue's CNC router turns (22) 4'x8' sheets into sawdust



EXAIR's Cold Gun is mounted under the protective quard.



Cold air from EXAIR's Model 5315 Cold Gun System keeps the tooling cool.

(professor at North Carolina State University with 35 years in wood machining research). Wood is brutal on tooling. In metalworking, most of the heat goes away with the machined chip. Wood is an excellent insulator and doesn't conduct the heat away, which keeps it all there at the tool. Temperatures can exceed 1472°F (800°C)!

The extensive tests at Purdue were conducted in a 70°F climate controlled room. They tested (4) 1/2" (12.7mm) two-flute cutters on a CNC router at 16,000 rpm. (22) sheets of 3/4" thick MDF (medium density fiberboard) were fed one at a time, cutting away 1/4" (6mm) depth of cut on each pass. Power consumption of the CNC was recorded (current draw increases as the tool starts to dull). When finished, the surface of the tools was examined using a scanning electron microscope. Machining with the Cold Gun's 20°F air reduced tool wear by over 21% compared to the results with no cooling.

For complete details of the Purdue study, visit our web site at www.exair.com/purdue.htm.

How Much Can You Save?

- · A 1/2" two flute router bit for wood is approximately \$67.
- · The 21% reduction in tool wear when using a Cold Gun is $67 \times 0.21 = 14.07$ savings per bit.
- · If you use (1) router bit per working day, the savings is \$14.07 x 5 working days = \$70.35 per week / \$3,658 per year For One Bit!

Cold Gun Aircoolant Systems



Model 5215 Cold Gun System (one cold outlet)

includes Cold Gun, Single Point Hose Kit, 3/8" (10mm) Cone Nozzle, 1-1/4" (32mm) Fan Nozzle, Manual Drain Filter Separator.



Model 5315 **Cold Gun System** (two cold outlets)

includes Cold Gun, Dual Point Hose Kit, (2) 1/4" (6mm) Cone Nozzles, (2) 1" (25mm) Fan Nozzles, Manual Drain Filter



Model 5230 High Power **Cold Gun System** (one cold outlet)

includes High Power Cold Gun, Single Point Hose Kit, 3/8" (10mm) Cone Nozzle, 1-1/4" (32mm) Fan Nozzle, Automatic Drain Filter Separator.



Model 5330 High Power **Cold Gun System** (two cold outlets)

includes High Power Cold Gun, Dual Point Hose Kit, (2) 1/4' (6mm) Cone Nozzles, (2) 1" (25mm) Fan Nozzles, Automatic Drain Filter Separator.

A Dual Point Hose Kit is recommended when heat is generated over a larger surface area. Accessories and Components

. G	
١Ę.	N
nAir	

Model #	Description	Model #	Description					
5015	Cold Gun Only	9005	Oil Removal Filter, 3/8 NPT, 15-37 SCFM (425-1,048 SLPM)					
5030	High Power Cold Gun Only	9012	Manual Shutoff Valve, 1/4 NPT					
5901	Single Point Hose Kit (Included with 5215 and 5230)	9020	Solenoid Valve, 120V, 50/60Hz, 1/4 NPT, 40 SCFM (1,133 SLPM)					
5902	Dual Point Hose Kit (Included with 5315 and 5330)	9021	Solenoid Valve, 200-240V, 50/60Hz, 1/4 NPT, 40 SCFM (1,133 SLPM)					
9003	Manual Drain Filter Separator, 1/4 NPT, 27 SCFM (765 SLPM)	9031	NEMA 4/4X Solenoid Valve, 24VDC, 1/4 NPT, 40 SCFM (1,133 SLPM)					
9004	Automatic Drain Filter Separator, 1/4 NPT, 43 SCFM (1,359 SLPM)							



